

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/678,603	10/03/2003	Eric B. Cummings	33531/US	6147
75	90 10/26/2005		EXAM	INER
DORSEY & V	VHITNEY LLP		FICK, ANT	THONY D
Suite 3400				
1420 Fifth Avenue			ART UNIT	PAPER NUMBER
Santle WA 08101			1752	

DATE MAILED: 10/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/678,603	CUMMINGS ET AL.			
		Examiner	Art Unit			
		Anthony Fick	1753			
Period f	The MAILING DATE of this communication or Reply	n appears on the cover sheet	with the correspondence address			
A SH WHII - Exte afte - If No - Fail Any	HORTENED STATUTORY PERIOD FOR RECHEVER IS LONGER, FROM THE MAILING ensions of time may be available under the provisions of 37 CF or SIX (6) MONTHS from the mailing date of this communication of period for reply is specified above, the maximum statutory pure to reply within the set or extended period for reply will, by so reply received by the Office later than three months after the replacement term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUN FR 1.136(a). In no event, however, may n. eriod will apply and will expire SIX (6) Mi statute, cause the application to become	NICATION. a reply be timely filed ONTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).			
Status			•			
1)🛛	Responsive to communication(s) filed on <u>03 October 2005</u> .					
2a)	This action is FINAL . 2b)⊠	FINAL. 2b)⊠ This action is non-final.				
3)[Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice und	der <i>Ex parte Quayle</i> , 1935 C	.D. 11, 453 O.G. 213.			
Disposit	tion of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1-26 is/are pending in the applicated 4a) Of the above claim(s) is/are with Claim(s) is/are allowed. Claim(s) 1-26 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction are	ndrawn from consideration.				
Applicat	tion Papers		•			
9)🛛	The specification is objected to by the Exar	miner.				
10)⊠	The drawing(s) filed on 03 October 2005 is	s/are: a)⊠ accepted or b)□	objected to by the Examiner.			
	Applicant may not request that any objection to	the drawing(s) be held in abey	ance. See 37 CFR 1.85(a).			
11)	Replacement drawing sheet(s) including the co The oath or declaration is objected to by th					
Priority	under 35 U.S.C. § 119					
a)	Acknowledgment is made of a claim for for D All b) Some * c) None of: 1. Certified copies of the priority docun 2. Certified copies of the priority docun 3. Copies of the certified copies of the application from the International Buse the attached detailed Office action for a	nents have been received. nents have been received in priority documents have bee ureau (PCT Rule 17.2(a)).	Application No en received in this National Stage			
Attachmer	nt(s)					
_	ce of References Cited (PTO-892)		v Summary (PTO-413)			
2) Noti	ce of Draftsperson's Patent Drawing Review (PTO-948 rmation Disclosure Statement(s) (PTO-1449 or PTO/Ster No(s)/Mail Date 6/7/2004.	Paper N	o(s)/Mail Date f Informal Patent Application (PTO-152)			

Application/Control Number: 10/678,603 Page 2

Art Unit: 1753

"expression (10)".

DETAILED ACTION

Specification

1. The disclosure is objected to because of the following informalities: in equation 6, paragraph 61 the first term should read $\left(\frac{\partial^2 \varphi_o}{\partial x^2} \frac{\partial \varphi_o}{\partial x} + \frac{\partial \varphi_o}{\partial z} \frac{\partial^2 \varphi_o}{\partial x \partial z}\right)$, the E_x term in equation 7 should be squared; the reference to "Eq. 7" at the end of paragraph 69 should be "Eq. 9", and the reference "expression (8)" in the first line of paragraph 70 should read

Appropriate correction is required.

Claim Objections

2. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claims 2 through 25 have been renumbered 3 through 26 respectively.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 1753

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

4. Claims 1 through 4, 6 through 8, 10 through 12, 17 through 21, and 23 through 25 are rejected under 35 U.S.C. 102(e) as being anticipated by Washizu et al. (U.S. 6,875,329).

Washizu teaches a method for separating substances using dielectrophoresis. The device of Washizu consists of a substrate or base plate, a plurality of electrodes positioned for dielectrophoresis, and a hollow space in the substrate (column 10, paragraphs 1, 4, and 5, and figure 15). Since a valley is a "negative ridge" in the definition of the applicant, this meets all the requirements of claim 1. Washizu further teaches regions can be formed in several places or a plurality of insulating ridges as in claim 2 (column 10, paragraph 1). The substrate can be formed of glass or plastics, which are polymers (column 10, paragraph 5) thus meeting claims 3 and 4. Washizu also teaches the device contains a means for applying voltage to the electrodes (column 4, paragraph 6). This meets claim 6. Figure 17 shows an embodiment of the

Application/Control Number: 10/678,603

Art Unit: 1753

invention where the ridges define the bottom of a flow channel thus meeting claim 7 and to flow fluid into the channel requires fluid port connected to the channel as in claim 8.

A few configurations of ridges are shown in figures 3 through 5. These configurations show ridges at a variety of angles relative to the flow direction and choice of this angle would depend on the type of separation being carried out. Thus it would be obvious to one skilled in the art to choose an angle that would not block the flow, between 20 and 80 degrees or specifically 45 degrees, and the teachings of Washizu then meet claims 10 and 11. The ridges in figure 3 show first and second ridges at different angles with respect to the flow direction, thus meeting claim 12.

Washizu further teaches this device can be used for particle separation by exerting a dielectric force on the particles to be separated (column 11, paragraph 1). This meets claim 17. The types of particles are also described including living things such as eukaryotic cells (column 11, paragraph 5), thus meeting claim 18. The separation method taught by Washizu includes generating a non-uniform electric field across an insulating ridge or valley, passing a sample fluid containing the particles across the ridge, the motion of at least one particle is constrained by the electric field, and the particle is moved along the valley (column 13, paragraph 2). This matches all the requirements of claim 19. The particles are transported either with the dielectric force or a flow velocity (column 13, paragraphs 2 and 3). These requirements meet claims 20 and 21. In figure 17 and paragraph 2, column 17, Washizu teaches the sample fluid is flowed across the insulating ridge to contact the two, thus meeting claim 23 and as stated above the ridges can be positioned at angles with respect to the flow

Application/Control Number: 10/678,603

Art Unit: 1753

direction meeting claim 24. Also as stated above, the separation moves the particles into the valley or a concentration area, thus meeting claim 25.

5. Claims 1, 5, 7, 9, 10, 13 through 16, 19, 22 and 26 are rejected under 35U.S.C. 102(e) as being anticipated by Fuhr et al. (U.S. 6,749,736).

Fuhr teaches dielectrophoretic diversion of particles. The teachings of Fuhr describe insulating ridges or surfaces on top of electrodes of various widths to produce a field gradient (column 5, paragraph 4). The separation devices of Fuhr are shown in figures 10, 14, and 15 and contain a substrate, an insulating ridge, and a plurality of electrodes to generate a non-uniform field, thus meeting claim 1. As described earlier, some insulating ridges of Fuhr are formed on top of the electrodes or supported by noninsulating material (column 5, paragraphs 3 and 5), thus meeting claim 5. The device shown in figure 15 has ridges on a surface of the first channel to meet claim 7 and a second fluid channel connected to the first fluid channel as in claim 9. Figures 5 and 6 show ridges with a variety of angles to the direction of flow and Fuhr teaches the channel shapes can include curves, angles or arcs (column 14, paragraph 2). The channel walls are insulating structures of elevation changes from the substrate. According to the definition of the applicant, the walls fit the requirements of ridges. Therefore Fuhr teaches ridges at a variety of angles to meet claim 10, and ridges that curve toward the concentration area as in claims 13 and 14.

The device of Fuhr in figure 15 has ridges parallel to the direction of the fluid flow. Since these ridges have the same characteristics as the application, they should also perform the same function of impedance matching. The amount of impedance

Art Unit: 1753

matching ridges would change depending on the system involved; e.g. type of separation, electric field required, and amount of uniformity in the field required.

Therefore the device of Fuhr meets claims 15 and 16, as the ridges parallel to the flow would accomplish the task of impedance matching.

The separation method of Fuhr is shown in figure 15 and described in paragraph 4 of column 14. The method includes generating a non-uniform electric field across an insulating ridge, passing a sample fluid containing the particles across the ridge, exerting a dielectrophoretic force and constraining the motion of a least one particle, and transporting the particle along the ridge. The method meets claim 19. Fuhr further teaches the motion of the particles through the device can occur under the influence of a gravitational force (column 13, last paragraph) thus meeting claim 22. Figure 15 also shows the two ridges of the device and the motion of a particle first adjacent to the first ridge until the dielectrophoretic force is decreased and the particle is within the second channel. Once in the second channel the particle is transported to the second ridge by dielectrophoretic forces. Thus the device meets claim 26.

Double Patenting

6. A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See *Miller v. Eagle Mfg. Co.*, 151 U.S. 186 (1894); *In re Ockert*, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970).

A statutory type (35 U.S.C. 101) double patenting rejection can be overcome by canceling or amending the conflicting claims so they are no longer coextensive in scope. The filing of a terminal disclaimer <u>cannot</u> overcome a double patenting rejection based upon 35 U.S.C. 101.

Application/Control Number: 10/678,603

Art Unit: 1753

7. Claims 1 and 2 are provisionally rejected under 35 U.S.C. 101 as claiming the same invention as that of claim 1 of copending Application No. 10760139. The device of copending application No. 10760139 contains a non-uniform array of insulating features, which meets the requirements of claim 1 in the present application of an insulating ridge. Claim 2 of the present application requires a plurality of insulating ridges, which is also met by claim 1 of application No. 10760139. This is a provisional double patenting rejection since the conflicting claims have not in fact been patented.

Page 7

- 8. Claims 3 and 4 are provisionally rejected under 35 U.S.C. 101 as claiming the same invention as that of claim 6 of copending Application No. 10760139. Claim 6 of application No. 10760139 requires the substrate comprise glass or polymers. This meets claim 3 of the present application requiring a glass substrate and claim 4 of the present application requiring a polymer substrate. This is a <u>provisional</u> double patenting rejection since the conflicting claims have not in fact been patented.
- 9. Claims 5 and 6 are provisionally rejected under 35 U.S.C. 101 as claiming the same invention as that of claims 7 and 8 of copending Application No. 10760139. Claim 1 of copending application No. 10760139 meets claim 1 of the present application as stated above. The other requirements of the claims are the same in both applications. This is a <u>provisional</u> double patenting rejection since the conflicting claims have not in fact been patented.
- 10. Claims 17 and 18 are provisionally rejected under 35 U.S.C. 101 as claiming the same invention as that of claims 10 and 11 of copending Application No. 10760139.

 Claim 1 of copending application No. 10760139 meets claim 1 of the present application

Application/Control Number: 10/678,603 Page 8

Art Unit: 1753

as stated above. The other requirements of the claims are the same in both applications. This is a <u>provisional</u> double patenting rejection since the conflicting claims have not in fact been patented.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony Fick whose telephone number is (571) 272-6393. The examiner can normally be reached on Monday thru Friday 8 AM to 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Anthony Fick ADF AU 1753 October 18, 2005

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700